

NORTH CAROLINA SHERIFFS' ASSOCIATION

Name of Dealership	Type of Vehicle	Zone	Base Unit Price
AMPLIROL HOOKLIFT - 140 SERIES (S	Specification #03)		
Amick Equipment Co., Inc.	2016 Amplirol 140 Series Hooklift	★Appalachia	\$24,865.00
Amick Equipment Co., Inc.	2016 Amplirol 140 Series Hooklift	★ Dogwood	\$24,865.00
Amick Equipment Co., Inc.	2016 Amplirol 140 Series Hooklift	★ Cardinal	\$24,865.00
Amick Equipment Co., Inc.	2016 Amplirol 140 Series Hooklift	★ Longleaf Pine	\$24.865.00



NORTH CAROLINA SHERIFFS' ASSOCIATION

<u>AMPLIROL HOOKLIFT - 140 SERIES</u> SPECIFICATION #3

2016 Amplirol 140 Series Hooklift

AMPLIROL MODEL 140 SERIES HOOKLIFT CHASSIS SPECS - LIFT CAPACITY: 35,000LB. HOIST WIDTH: 96" (WITH FENDERS INSTALLED), HOIST LENGTH: VARIES (SEE BELOW), HOIST HEIGHT ABOVE FRAME RAIL: 10.3", HOIST WEIGHT: 4510 LBS to 4994 lbs; CAB OVER ENGINE: SET AT 800 RPM IDLE, WITH SPEED UP OPTION TO 1200 RPM; ALLISON: RDS TRANSMISSION SETUP FOR PTO AND OVERSPEED PROTECTION, KICK OUT AT 1550 RPM (HAVE CHASSIS PROGRAMMED WITH REMOTE THROTTLE UP 1,200 RPM PRIOR TO SHIPPING TO AMPLIROL. CHASSIS MUST BE SET UP FOR FRONT MOUNT PUMP IF THAT OPTION IS CHOSEN FOR BODY); CONVENTIONAL CAB - SET AT 800 RPM IDLE, WITH SPEED UP OPTION TO 1200 RPM; ALLISON: RDS TRANSMISSION SETUP FOR PTO AND OVERSPEED PROTECTION, KICK OUT AT 1550 RPM (HAVE CHASSIS PROGRAMMED WITH REMOTE THROTTLE UP 1,200 RPM PRIOR TO SHIPPING TO AMPLIROL. CHASSIS MUST BE SET UP FOR FRONT MOUNT PUMP IF THAT OPTION IS CHOSEN FOR BODY); CHASSIS SPECIFICATIONS: WHEELBASE AND AXLE RATINGS DEPEND ON FRAME RAIL LENGTH. CONSULT CONTRACT HOLDER PRIOR TO ORDERED CHASSIS FOR CORRECT SPECIFICATIONS BASED ON HOIST MODEL ORDERED: MINIMUMS: CHASSIS GVWR: 45,000LB TO 60,000 LB; FRONT AXLE: 14,000 LB TO 18,000 LB, REAR AXLE: 32,000 LB TO 44,000 LB; USABLE CA (CAB TO CENTER OF REAR AXLE): 126" TO 204"; AFTER FRAME: 26"; A HOOK STYLE ROLL-OFF FOR LOADING AND UNLOADING CANS, BODIES AND IMPLEMENTS.

ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED

INSTRUCTIONS: Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. SPECIFICATIONS

- a. Lifting Capacity 31,000# to 35,000#
- b. Container/Body Lengths 13' to 22'
- c. Container height above truck frame 10.63"
- d. Maximum Dump Angle 61 degrees
- e. Hook Height 54" or 61.75" (Adjustable hook available as option)
- f. Hooklift articulation for dump Double
- g. Jib Style Sliding
- h. Jib ConstructionForm fitted No pads needed
- i. Jib safety valve to prevent retracting Proxy
- j. Container / Body locks Mechanical locks 4" forward of travel of Jib
- k. Holding locks All cylinders will have bypass system locks and counter balance valves for safety while dumping
- 1. Dump Cylinder(s) Dual Cylinders for stability
- m. Hoist Sub-Frame- Z Formed for strength to reduce stress. 10.63" Maximum height
- n. Rear Pivot Brass bushing, hardened steel pins and grease fittings

2. HYDRAULIC SYSTEM

- a. Oil reservoir 12 Gallons b. Pump (PTO) 15 GPM @ 1200 RPM
- c. Operating Pressure 5000 PSI Max d. Hoses 5 to 1 burst rating e. Return Filter 10 Micron

- f. Suction Filter strainer in tank
- g. Engine RPM range Idle to 1550RPM

3. ELECTRICAL

- a. Weather proof connectionsb. Color coded wiring
- c. DOT approved side and rear Marker/Stop turn and Backup lights

4. WARRANTIES

a. 1 Year Body Warranty



NORTH CAROLINA SHERIFFS' ASSOCIATION

AMPLIROL HOOKLIFT - 140 SERIES SPECIFICATION #3

2016 Amplirol 140 Series Hooklift

The Amplirol 140 Series Hooklift purchased through this contract comes with all the standard equipment as specified by the manufacturer for this model and NCSA's base vehicle specification(s) requirements which are included and made a part of this contract's vehicle base price as awarded by specification by zone.

While the North Carolina Sheriffs' Association has attempted to identify and include those equipment items most often requested by participating agencies for full size vehicles, we realize equipment needs and preferences are going to vary from agency to agency. In an effort to incorporate flexibility into our program, we have created specific add/delete options which allow the purchaser to tailor the vehicle to their particular wants or needs.

The following equipment delete and add options and their related cost are provided here to assist you in approximating the total cost of the type vehicle(s) you wish to order through this program. Simply deduct the cost of any of the following equipment items you wish deleted from the base unit cost and/or add the cost of any equipment items you wish added to the base unit cost to determine the approximate cost of the type vehicle(s) you wish to order.

NOTE: An official listing of all add/delete options and their prices should be obtained from the appropriate dealer in your zone when preparing your order. Additional add/delete options other than those listed here may be available through the dealers, however, those listed here must be honored by the dealers in your zone at the stated prices.

VEHICLE: 140 Series Hooklift

DEALER: Amick Equipment Co., Inc. Amick Equipment Co., Inc. Amick Equipment Co., Inc. Amick Equipment Co., Inc.

ZONE: ★Appalachia \bigstar Dogwood \bigstar Cardinal **★**Longleaf Pine **BASE PRICE:** \$24,865.00 \$24,865.00 \$24,865.00 \$24,865.00

Order Code	Add Options	All Zones
AL140/1400-16 ¹	AL140/1400-16: 16Ft Length	(\$1,420.00) ¹
AL140/1400-18 ¹	AL140/1400-18: 18Ft Length	(\$1,420.00) ¹
AL140/1600-15 ¹	AL140/1600-15: 15Ft Length	(\$940.00) ¹
AL140/1600-17 ¹	AL140/1600-17: 16Ft Length	(\$940.00) ¹
AL140/1600-18 ¹	AL140/1600-18: 18Ft Length	$(\$475.00)^1$
AL140/1600-20 ¹	AL140/1600-20: 20Ft Length	Std ¹
ALAirShift 1	Air Shift PTO Only compatible with manual and "automated" (eaton ultrashift etc.) transmissions 1	\$1,185.00 ¹
ALHotShift 1	Hot Shift PTO Allison 3000 series trans	\$1,930.00 ¹
ALHotShift ¹	Hot Shift PTO Allison 4000 series trans	\$1,930.00 ¹
SAE41 ¹	41L SAE Pump in leu of DIN	\$138.00 ¹
MC4112F20H ¹	Hydraulic Controls in Cab	\$3,750.00 ¹
FC411220A ¹	Air Operated Controls in Cab	\$3,100.00 ¹
FC411220C ¹	Cable Operated Controls in Cab	\$2,770.00 ¹
ALPB ¹	Add power beyond to valve above	\$135.00 ¹
13kLiftSteer ¹	13,200lb Steerable Pusher axle Includes single set of steel wheels and tires 1	\$7,890.00 ¹
13kLiftRigid ¹	13,200lb Rigid Pusher axle Includes single set of steel wheels and tires 1	\$6,925.00 ¹
Mount ¹	Full mount on ready chassis Includes mount, black paint, oil & misc parts. 1	\$5,675.00 ¹
5.414N ¹	Single metal diamond plate fender each side (2) Total for single rear axle <i>Includes set of 2 fenders. Fenders sized for 22.5 tires. If 19.5 tires are used, please specify on order.</i> 1	\$400.00
5.414P22.5 ¹	Single plastic fender each side (2) Total for single rear axle Includes set of 2 fenders. Fenders sized for 22.5 tires. If 19.5 tires are used, please specify on order. 1	\$420.00 ¹
5.414 ¹	Dual metal diamond plate fender each side (4) Total for tandem rear axle <i>Includes set of 4 fenders.</i> 1	\$800.001
5.414P22.5TAND ¹	Dual plastic fender each side (4) Total for tandem rear axle <i>Includes set of 4 fenders.</i> 1	\$840.001
Rear Strobe ¹	Strobe Lights (2) on rear bumper with switch in cab <i>LED</i> , <i>Amber</i> ¹	\$380.001
Front Rear Strobe ¹	Strobes (2 Front and 2 Rear) on rear bumber and front grill <i>LED</i> , <i>Amber</i> 1	\$760.00 ¹
A6.20 ¹	96" Rear bumper, HD build w/ lights Order Licplbrk with this option Standard DOT Lighting Pkg Center open for future installation of pintle hitch. 1	\$390.00
A6.20LED ¹	LED bumper light upgrade	\$150.00 ¹
RearCamera ¹	Camera System, single rear view with 7" in cab moniter	\$1,075.00 ¹

VEHICLE: 140 Series Hooklift

DEALER: Amick Equipment Co., Inc. Amick Equipment Co., Inc. Amick Equipment Co., Inc. Amick Equipment Co., Inc.

ZONE: ★Appalachia \bigstar Dogwood \bigstar Cardinal **★**Longleaf Pine **BASE PRICE:** \$24,865.00 \$24,865.00 \$24,865.00 \$24,865.00

	1.1
Frame mounted Toolbox 36" x 18" x 18"	\$650.00 ¹
Rear Work lights on rear fenders (2) with switch in cab	\$390.00 ¹
Change Hook Height on Jib Change jib height from 54" to 61 3/4" permenantly 1	\$400.00
Custom fabrication and options available. Consult contract holder for pricing and options. any custom fabrication is non-standard. consult dealer for specification and pricing. 1	NA ¹
Installed tarp system, consult contract holder for brand, model and pricing tarps are a non-standard item. consult dealer for specifications and pricing. 1	NA ¹
Body Polyurethane Enamel Paint - Black Gloss	Incl. ¹
Body Polyurethane Enamel Paint - Customer Supplied Paint Color (Code Required)	\$900.00 ¹
Metallic Upcharge for body paint Upcharge in addition to custom color 1	\$350.00 ¹
Other custom paint options available as non standard options custom paint is a non-standard item. contact dea; er for specifications and pricing. 1	NA ¹
Fire Extinguisher Mtd Under Body – 20 Lb	\$340.00
Fire Extinguisher In Cab – 20 Lb	NA
Fire Extinguisher In Cab-10 Lb	\$180.00
Fire Extinguisher In Cab-5 Lb	\$75.00
Triangle Kit in Cab	\$40.00
Water Cooler Mounted Under Body-5 Gallon	\$175.00
Any and all chassis modifications are on a case by case. Consult mfg for pricing any chassis modifications are non-standard. consult dealer for specifications and pricing.	NA ¹
Alternative fuels systems (CNG, Propane, Store Energy, etc) Consult contract holder for pricing alternative fuels are non-standard. consult dealer for specifications and pricing. 1	NA ¹
	Change Hook Height on Jib Change Jib height from 54" to 61 3/4" permenantly 1 Custom fabrication and options available. Consult contract holder for pricing and options. any custom fabrication is non-standard. consult dealer for specification and pricing. 1 Installed tarp system, consult contract holder for brand, model and pricing tarps are a non-standard item. consult dealer for specifications and pricing. 1 Body Polyurethane Enamel Paint - Black Gloss Body Polyurethane Enamel Paint - Customer Supplied Paint Color (Code Required) Metallic Upcharge for body paint Upcharge in addition to custom color 1 Other custom paint options available as non standard options custom paint is a non-standard item. contact dea; er for specifications and pricing. 1 Fire Extinguisher Mtd Under Body – 20 Lb Fire Extinguisher In Cab – 20 Lb Fire Extinguisher In Cab-10 Lb Fire Extinguisher In Cab-5 Lb Triangle Kit in Cab Water Cooler Mounted Under Body-5 Gallon Any and all chassis modifications are on a case by case. Consult mfg for pricing any chassis modifications are non-standard. consult dealer for specifications and pricing. Alternative fuels systems (CNG, Propane, Store Energy, etc) Consult contract holder for pricing