



NORTH CAROLINA SHERIFFS' ASSOCIATION

Name of Dealership	Type of Vehicle	Zone	Base Unit Price
<u>HINO 268A – (4X2 – REAR LOADER, SIDE LOADER, ROLL-OFF, KNUCKLEBOOM, HOOK LIFT) (Specification #15)</u>			
Transource, Inc.	2017 Hino 268A	★Appalachia	\$59,274.30
Transource, Inc.	2017 Hino 268A	★Dogwood	\$59,274.30
Transource, Inc.	2017 Hino 268A	★Cardinal	\$59,274.30
Transource, Inc.	2017 Hino 268A	★Longleaf Pine	\$59,274.30



NORTH CAROLINA SHERIFFS' ASSOCIATION

HINO 268A – (4X2 – REAR LOADER, SIDE LOADER, ROLL-OFF, KNUCKLEBOOM, HOOK LIFT) **SPECIFICATION #15**

2017 Hino 268A

ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED

INSTRUCTIONS: Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **TRANSMISSION**

a. Auto - Allison 2200RDS w/Syn Fluids(PTO). w/ FuelSense

2. **WHEELBASE**

a. 152"

3. **ENGINE**

a. Engine - HINOJ08E-WU Turbo charged and intercooled with glow plugs, 6 cylinder, In-line water-cooled; Max Output 230hp @2500rpm; Max Torque 520lb.ft. @ 1500rpm; 7.68L displacement

4. **INSIGHTSTD**

a. INSIGHT hardware. 1 year telematics. 5 years remote diagnostics.

5. **OIL**

a. Oil Capacity- 16.15 quarts

6. **EXHBRAKE**

a. Exhaust Brake, driver control w/steering column Stalk Switch.

7. **FUELFILTCOE**

a. Fuel Filter-Pre Filter Heated Water Separator

8. **ALT**

a. Alternator-Delco 12 volt 130 amp Brush Type

9. **BATTERY**

a. Two 12 volt parallel connection, 600 CCA x 2. GR31.

10. **STARTER**

a. Denso 12 volt 4.80 kW / 6.4 HP rating

11. **HYBRID_SYSTEM**

a. NI-MH Battery 288V, Traction Motor (Max 36kW, 258ft-lb), Inverter (max 64KVA), 1.9Kwh Output, Hybrid Adaptive Control System, Idle Stop, Eco Mode, Hybrid Indicator and Eco Lamp

12. RADIO

- a. Radio-AM/FM with single CD, bluetooth, two speakers.

13. AIRCOND

- a. Air Conditioned-Denso Cab AC System designed specifically for Hino-Refrigerant 134A

14. DISPLAY

- a. Meter Cluster-Information display: Instant and trip fuel consumption, Diesel Particulate Reduction System performance/status, maintenance intervals, engine and vehicle diagnostics.

15. PWDL-COE

- a. Power Windows and Door Locks

16. GAUGES

- a. Gauges-Speedometer mph (km/h), odometer, fuel/DEF gauges, coolant temp gauge, engine tachometer, air pressure gauge.

17. FTGRILLCOE

- a. Grille-Chrome plated

18. HORNCOE

- a. Horn-Electric Horn

19. HEAT/DEF

- a. Heater/Defroster- 18,596 BTU/h

20. LAMPS

- a. Lighting-Marker lamps, stop/tail lights, back-up lights, side-flasher lights.

21. MISC

- a. Cab Features-Standard: Cruise control, power steering with tilt and telescopic steering column, cup holders, cigarette lighter, coat hook, bag hook, two overhead compartments, two door pockets, sun visors, side mirrors (1 flat, 1 convex) on each side

22. SEATS

- a. Seats-Vinyl driver seat adjustable reclining, with AIR suspension and two person passenger bench seat. Three point seatbelt for driver and outer passenger, two point seatbelt for center position.

23. INDICATORS

- a. Warning Indicators-Oil pressure, brake pressure, coolant level, battery charge, high beam, turn signal, parking brake, engine control system and ABS

24. FREIGHT

- a. Equalized Freight Charge

25. COOLSYS

- a. Cooling Capacity- 7.075 gallon cooling system capacity

26. WARRANTY_05

- a. Warranty-Basic Vehicle-24 months unlimited mileage; Engine-36 months unlimited mileage; Engine-60 month Extended Coverage, 250,000 miles (includes injectors, fuel supply pump, and turbo); Emission-60 months 100,000 miles; Frame Rails & Cross Members-48 months unlimited mileage, Cab-48 months unlimited mileage; ABS-24-36 months 300,000 miles.

27. HWATCH_05

- a. Hino Watch Roadside Assistance- 3-year unlimited roadside assistance including lockout, *out of fuel/DEF, battery jumpstart, information, and warranty towing (2 year coverage). *Fluids are customer pay responsibility. Tire Service-assist customer in arranging for roadside tire service if requested

28. FUELTK

- a. Fuel Tank-Aluminum 50 gallon capacity. Clean CA position (drivers side mounted).

29. GVWR

- a. GVWR-Gross Vehicle Weight Rating- 25,950 lbs.

30. BMP

- a. Bumper- painted, match to cab

31. BRAKES

- a. Brakes-Full air circuit "S" cam type, leading and trailing shoes with automatic adjustment and Antilock Brake System (ABS). Front Brakes:15.0" diameter x 4.0" x 0.73" thickness: Rear Brakes: 16.5" x 7.0" x 0.85".

32. FRAME

- a. Frame-Straight C Channel frame, ladder type, powder coated, 34" wide, yield strength 80,000 PSI, resistance bending moment (RBM) 1,031,900 in./lbs. (one side no reinforcement).

33. WHEELS

- a. Wheels-Accuride powder coated 22.5" x 8.25" 10-stud disc..

34. EStAB-COE

- a. Front Stabilizer Bar

35. BKBUZZ

- a. Backup Buzzer

36. TIRES

- a. Front tires- Bridgestone 11R 22.5 R268 Rib pattern: Rear tires- Bridgestone 11R 22.5 M726EL Lug pattern.

37. AXLES

- a. Front Axle Meritor MFS10, 10,000 lb. capacity, Reverse Elliot "I" beam oil lubricated hubs.Rear Axle-Meritor RS19-145, 19,000 lb. capacity, full-floating single reduction single speed hypoid gearing

38. SPRINGS

- a. Front Spring: Tapered leaf springs with shock absorbers, 12,000 lb. rating; Rear Spring: Semi-elliptical main, 21,000 lb. rating.

39. AXLESTD

- a. Rear Axle Ratio-Standard 5.57

40. FUELFILT

- a. Fuel Filter-Davco 243 Diesel pro heated fuel/water separator.(Diesel Pro 243)

41. FTGRILL

- a. Grille-Chrome plated

42. HORN

- a. Horn-Electric Dual Horn

43. AIRTANK

a. Air Tank- 34 liter tank (68L total), (15cfm@1250rpm)

44. AIRDRYER

a. Air Dryer-Bendix-AD-IS (Air Dryer Integrated Solution)heated air dryer.

45. BLHZASTD

a. Engine block heater (1000W / 120ACV)

46. FUELFILT

a. Fuel Filter-Davco 243 Diesel pro Heated fuel/water separator.(Diesel Pro 243)



NORTH CAROLINA SHERIFFS' ASSOCIATION

HINO 268A – (4X2 – REAR LOADER, SIDE LOADER, ROLL-OFF, KNUCKLEBOOM, HOOK LIFT) SPECIFICATION #15

2017 Hino 268A

The Hino 268A purchased through this contract comes with all the standard equipment as specified by the manufacturer for this model and NCSA's base vehicle specification(s) requirements which are included and made a part of this contract's vehicle base price as awarded by specification by zone.

ZONE:	★Appalachia	★Dogwood	★Cardinal	★Longleaf Pine
BASE PRICE:	\$59,274.30	\$59,274.30	\$59,274.30	\$59,274.30

While the North Carolina Sheriffs' Association has attempted to identify and include those equipment items most often requested by participating agencies for full size vehicles, we realize equipment needs and preferences are going to vary from agency to agency. In an effort to incorporate flexibility into our program, we have created specific add/delete options which allow the purchaser to tailor the vehicle to their particular wants or needs.

The following equipment delete and add options and their related cost are provided here to assist you in approximating the total cost of the type vehicle(s) you wish to order through this program. Simply deduct the cost of any of the following equipment items you wish deleted from the base unit cost and/or add the cost of any equipment items you wish added to the base unit cost to determine the approximate cost of the type vehicle(s) you wish to order.

NOTE: An official listing of all add/delete options and their prices should be obtained from the appropriate dealer in your zone when preparing your order. Additional add/delete options other than those listed here may be available through the dealers, however, those listed here must be honored by the dealers in your zone at the stated prices.

VEHICLE:	268A			
DEALER:	Transource, Inc.	Transource, Inc.	Transource, Inc.	Transource, Inc.
ZONE:	★ Appalachia	★ Dogwood	★ Cardinal	★ Longleaf Pine
BASE PRICE:	\$59,274.30	\$59,274.30	\$59,274.30	\$59,274.30

Order Code	Add Options	All Zones
	152" WB / 84.8" CA	NC
	Auto-Allison 2200HS w/Syn Fluids (non-PTO). w/ FuelSense	Incl.
	Frame Rail-120Kpsi	NA
ALT135A ¹	Alternator Brushless	\$207.00 ¹
ALT180A ¹	Alternator Brushless 180	\$236.70 ¹
ANTSPH1 ¹	Anti-Siphon Device(single)	\$44.10 ¹
ANTSPH2 ¹	Anti-Siphon Device(dual)	\$87.30 ¹
ASDZH1 ¹	Air Susp DumpValve-Single Lvl	\$135.90 ¹
ASDZH2 ¹	Air Susp-DumpValve-dual Lvl	\$372.60 ¹
BATZC ¹	Battery-GR31x3	\$128.70 ¹
BATZD ¹	Battery-AGM31 (Glass Mat)	\$207.00 ¹
BBUZZ ¹	Backup Buzzer	\$112.50 ¹
BMPB ¹	Bumper-Black	\$116.10 ¹
BMPB3P4 ¹	Bumper-Black 3pc/4" extended	\$214.20 ¹
BMPB4 ¹	Bumper-Black 4" extended	\$108.00 ¹
BMPC ¹	Bumper-Chrome	\$568.88 ¹
BMPC4 ¹	Bumper-Chrome4" extended	\$596.70 ¹
BMPW3P ¹	Bumper-White 3 piece	\$108.00 ¹
BMP3P4 ¹	Bumper-White 3 pc/4" extended	\$214.20 ¹
BMPW4 ¹	Bumper-White 4" extended	\$108.00 ¹
CLTZA ¹	Clutch-Twin Plate Solo	\$435.60 ¹
D68AR ¹	Air Suspension-Hendrickson	\$1,709.10 ¹
	Air suspension-Severe Duty	NA
	Rt 25,950,Axle10/21,Sprg12/21	NA
	De-Tate VIN 10/2126K	NA
ENGSHT ¹	Electric Eng Shutdown Protec	\$18.00 ¹
ENGSHT-LO ¹	Electric ENG Shutdown Protec	\$23.40 ¹
FNDMIR-LO ¹	Mirrors-Fender(post-prod)	\$236.70 ¹
FNDMRR-LO ¹	Mirrors-FenderPsngr Side Only	\$130.50 ¹
GRWH4 ¹	Gray Wheels	\$96.30 ¹
HOOK2 ¹	Bumper TowHooks-One eachside	\$59.40 ¹
HORZA ¹	Air Horn	\$100.80 ¹
	INSIGHT-2YEAR ADD ON (3TTL)	\$858.60
	INSIGHT-4YEAR ADD ON (5TTL)	\$1,421.10

VEHICLE:	268A			
DEALER:	Transource, Inc.	Transource, Inc.	Transource, Inc.	Transource, Inc.
ZONE:	★ Appalachia	★ Dogwood	★ Cardinal	★ Longleaf Pine
BASE PRICE:	\$59,274.30	\$59,274.30	\$59,274.30	\$59,274.30

KEYZA ¹	Keyed Alike	\$37.80 ¹
KEYZB ¹	Keys (qty.4) n/a w/KEYZA	\$37.80 ¹
MRC ¹	Mirrors-Chrone	\$217.80 ¹
MRRCH ¹	Mirrors-Chrone Heated Remote	\$509.40 ¹
MRRCH-LO ¹	Mirrors-Chrone Heated Remote	\$739.80 ¹
MRRH ¹	Mirrors-Heated, Remote	\$318.60 ¹
MRRH-LO ¹	Mirrors-Heated, Remote	\$532.80 ¹
	INSIGHT -Navigation (1year)	\$213.30
	INSIGHT -Navigation (3year)	\$514.80
	INSIGHT -Navigation (5year)	\$746.10
ORNGBLT ¹	Seat Belts-Safety Orange	\$142.20 ¹
	PDI at Factory	Incl.
PWDL ¹	Power Windows& Door Locks	\$443.70 ¹
PWDLK ¹	Power Windows/Locks,Keyless	\$710.10 ¹
	Rear AxleRation 3.73MT	NC
	Rear Axle Ration 3.90MT	NC
	Rear Axle Ration 5.13AT	NC
	Rear Axle Ration 5.29AT	NC
DIFFLOK ¹	Differential Lock w/controls	\$1,035.90 ¹
RPM1200 ¹	PTO Setting 1200RPM	\$18.00 ¹
RPM1600 ¹	PTO Setting 1600RPM	\$18.00 ¹
RPM1800 ¹	PTO Setting 1800RPM	\$18.00 ¹
RSHOCK ¹	Shock-Rear	\$385.20 ¹
RSPRING ¹	Rear-Spring (subleaf)	\$272.70 ¹
RSTAB ¹	Stabilizer-Rear	\$1,776.60 ¹
SAFETYKIT ¹	Safety Kit-FireExt/Triangle	\$100.80 ¹
SAFETYKIT-LO ¹	Safety Kit-FireExt/Triangle	\$106.20 ¹
S70 ¹	Seats-Sears 70Fabric Driver	\$562.50 ¹
S70-LO ¹	Seats-Sears 70Fabric Driver	\$888.30 ¹
S70V ¹	Seats-Sears 70Vinyl Driver	\$562.50 ¹
S70V-LO ¹	Seats-Sears 70Vinyl Driver OL	\$888.30 ¹
S70DUAL ¹	Seats-Sears 70Fabric Drv/Psg	\$1,125.00 ¹
S70DUAL-LO ¹	Seats-Sears 70Fabric D/P LO	\$1,657.80 ¹
S70VDUAL ¹	Seats-Sears 70Vinyl Drv/Psg	\$1,125.00 ¹
S70VDUAL-LO ¹	Seats-Sears 70Vinyl D/P post p	\$1,657.80 ¹
SEAT2F ¹	Seat-Fabric 1man passenger	\$47.70 ¹
SEAT2V ¹	Seat-Vinyl 1man passenger	\$18.00 ¹

VEHICLE:	268A			
DEALER:	Transource, Inc.	Transource, Inc.	Transource, Inc.	Transource, Inc.
ZONE:	★ Appalachia	★ Dogwood	★ Cardinal	★ Longleaf Pine
BASE PRICE:	\$59,274.30	\$59,274.30	\$59,274.30	\$59,274.30

SEAT3F ¹	Seat-Fabric 2man bench pass	\$89.10 ¹
STD50X1 ¹	Fuel Tank-Dual50 gallon	\$710.10 ¹
STD70X1 ¹	Fuel Tank-Single 70 gal	\$296.10 ¹
STD90X1 ¹	Fuel Tank-Single 90 gal	\$414.90 ¹
STD95X1-LO ¹	Fuel Tank-SSingle 95 g postpro	\$621.90 ¹
	Rear Rib Tires-BS	NC
ICAPS ¹	Tire Valve AirCap	\$11.70 ¹
TSIZE05 ¹	Tire- 255/70R22.5Bridgestone	\$135.00 ¹
TSIZE06 ¹	Tire-295/75R22.5Bridgestone	\$135.90 ¹
VPIPE ¹	Vertical Exhaust	\$769.50 ¹
XSWITCH ¹	Additional DashSwitch	\$23.40 ¹
Z01TRANS ¹	SyntheticFluids-EatonTrans	\$135.90 ¹
Z01DIFF ¹	Syn Fluid-RearDiff Axle	\$125.10 ¹
Z05XD ¹	Wheels Aluminum-Steel Inner	\$1,006.20 ¹
	Wheels Alum-Inner and Outer	NA
	Wheels Dura-BrightInner/Outer	NA
Z05XH ¹	Wheels AlumDB polished all6	\$1,510.20 ¹
PNTB ¹	Paint-Black	NC ¹
PNTR ¹	Paint-Red	NC ¹
	Manual Transmission	NC
HBERS ¹	Allison Automatic 2200RDS (PTO)Trasmission	\$135.90 ¹
HBERS25 ¹	AllisonAutomatic 2500RDS PTO)Trasmission	\$135.90 ¹
	Wheelbase(152"-271")	NC
	Auto-Allison 2200HS w/Syn Fluids (non-PTO). w/FluelSense	Incl.