



NORTH CAROLINA SHERIFFS' ASSOCIATION

Name of Dealership	Type of Vehicle	Zone	Base Unit Price
<u>FREIGHTLINER - M2 106 - 33K GVW (Specification #08)</u>			
Carolina Freightliner of Raleigh	2017 Freightliner M2 106 33K GVW Chassis	★Appalachia	\$73,810.00
Excel Truck Center	2017 Freightliner M2 106 33K GVW Chassis	★Dogwood	\$73,810.00
Carolina Freightliner of Raleigh	2017 Freightliner M2 106 33K GVW Chassis	★Cardinal	\$73,810.00
Excel Truck Center	2017 Freightliner M2 106 33K GVW Chassis	★Longleaf Pine	\$73,810.00



NORTH CAROLINA SHERIFFS' ASSOCIATION

FREIGHTLINER - M2 106 - 33K GVW **SPECIFICATION #8**

2017 Freightliner M2 106 33K GVW Chassis

ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED

INSTRUCTIONS: Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. **PRICE LEVEL**

- a. M2 PRL-14M (EFF:10/05/15)

2. **DATA VERSION**

- a. SPECPRO21 DATA RELEASE VER 024

3. **VEHICLE CONFIGURATION**

- a. M2 106 CONVENTIONAL CHASSIS (WEIGHT FRONT: 5,759 ; WEIGHT REAR: 3,503)
- b. 2017 MODEL YEAR SPECIFIED
- c. SET BACK AXLE - TRUCK
- d. STRAIGHT TRUCK PROVISION
- e. LH PRIMARY STEERING LOCATION

4. **GENERAL SERVICE**

- a. REFUSE SERVICE
- b. DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)
- c. TRUCK CONFIGURATION
- d. GOVERNMENT BUSINESS SEGMENT
- e. MOIST BULK COMMODITY
- f. TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS
- g. MAXIMUM 8% EXPECTED GRADE
- h. ROUGH, MAINTAINED, CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE
- i. MEDIUM TRUCK WARRANTY
- j. EXPECTED FRONT AXLE(S) LOAD : 10000.0 lbs
- k. EXPECTED REAR DRIVE AXLE(S) LOAD : 23000.0 lbs
- l. EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 33000.0 lbs

5. **ENGINE**

- a. CUM ISL 300HP @ 2000RPM, 2200 GOV RPM, 860 LB/FT @ 1300 RPM (WEIGHT FRONT: 640)
- b. CUM ISL 300HP @ 2000RPM, 2200 GOV RPM, 860 LB/FT @ 1300 RPM (WEIGHT REAR: 30)

6. **ENGINE EQUIPMENT**

- a. ENGINE MOUNTED OIL CHECK AND FILL
- b. STANDARD OIL PAN
- c. 2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/GHG17 BUT NOT FINAL GHG17 CONFIGURATION
- d. ONE PIECE VALVE COVER
- e. SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER
- f. DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE

- g. BATTERY BOX FRAME MOUNTED
- h. STANDARD BATTERY JUMPERS
- i. SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB
- j. WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN
- k. NON-POLISHED BATTERY BOX COVER
- l. CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE
- m. STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR
- n. AIR COMPRESSOR DISCHARGE LINE
- o. ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM
- p. ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH
- q. 6 GALLON DIESEL EXHAUST FLUID TANK
- r. 100 PERCENT DIESEL EXHAUST FLUID FILL
- s. LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION
- t. STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING
- u. STANDARD DIESEL EXHAUST FLUID TANK CAP
- v. AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED
- w. CUMMINS SPIN ON FUEL FILTER
- x. ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT
- y. GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT
- a'. CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES
- aa. RADIATOR DRAIN VALVE
- ab. LOWER RADIATOR GUARD
- ac. ALUMINUM FLYWHEEL HOUSING
- ad. ELECTRIC GRID AIR INTAKE WARMER

7. TRANSMISSION EQUIPMENT

- a. MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN
- b. NEUTRAL AT STOP - DISABLED, FUELSENSE - DISABLED
- c. DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES
- d. WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK
- e. SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)

8. FRONT AXLE AND EQUIPMENT

- a. MERITOR 15X4 Q+ CAM FRONT BRAKES
- b. NON-ASBESTOS FRONT BRAKE LINING
- c. CONMET CAST IRON FRONT BRAKE DRUMS
- d. SKF SCOTSEAL PLUS XL FRONT OIL SEALS
- e. VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL
- f. STANDARD SPINDLE NUTS FOR ALL AXLES
- g. MERITOR AUTOMATIC FRONT SLACK ADJUSTERS
- h. TRW THP-60 POWER STEERING
- i. POWER STEERING PUMP
- j. 2 QUART SEE THROUGH POWER STEERING RESERVOIR
- k. ORGANIC SAE 80/90 FRONT AXLE LUBE

9. FRONT SUSPENSION

- a. 12,000# MONO TAPERLEAF FRONT SUSPENSION
- b. MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION
- c. NO FRONT SUSPENSION SPRING BRACKET OPTIONS
- d. FRONT SHOCK ABSORBERS

10. REAR AXLE AND EQUIPMENT

- a. 5.22 REAR AXLE RATIO
- b. IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING
- c. MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES - WEIGHT FRONT: 20
- d. MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES - WEIGHT REAR: 20
- e. MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES

- f. NON-ASBESTOS REAR BRAKE LINING
- g. CONMET CAST IRON REAR BRAKE DRUMS
- h. SKF SCOTSEAL PLUS XL REAR OIL SEALS
- i. HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS
- j. MERITOR AUTOMATIC REAR SLACK ADJUSTERS
- k. ORGANIC SAE 80/90 REAR AXLE LUBE

11. REAR SUSPENSION

- a. STANDARD AXLE SEATS IN AXLE CLAMP GROUP

12. BRAKE SYSTEM

- a. AIR BRAKE PACKAGE
- b. WABCO 4S/4M ABS WITHOUT TRACTION CONTROL
- c. REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES
- d. FIBER BRAID PARKING BRAKE HOSE
- e. STANDARD BRAKE SYSTEM VALVES
- f. STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM
- g. STD U.S. FRONT BRAKE VALVE
- h. RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE
- i. STEEL AIR BRAKE RESERVOIRS
- j. PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS

13. TRAILER CONNECTIONS

- a. UPGRADED CHASSIS MULTIPLEXING UNIT
- b. UPGRADED BULKHEAD MULTIPLEXING UNIT
- c. NO HIGH CURRENT TRAILER/BODY CABLE
- d. CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 141.45 in
- e. CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 138.45 in
- f. CALC'D FRAME LENGTH - OVERALL : 296.39 CALC'D
- g. SPACE AVAILABLE FOR DECKPLATE : 141.45 in
- h. SQUARE END OF FRAME
- i. FRONT CLOSING CROSSMEMBER
- j. STANDARD WEIGHT ENGINE CROSSMEMBER
- k. STANDARD MIDSHIP #1 CROSSMEMBER(S)
- l. STANDARD REARMOST CROSSMEMBER
- m. STANDARD SUSPENSION CROSSMEMBER

14. CHASSIS EQUIPMENT

- a. THREE-PIECE 14 INCH STEEL CENTER BUMPER WITH FLEXIBLE PLASTIC ENDS
- b. BUMPER MOUNTING FOR SINGLE LICENSE PLATE
- c. FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS
- d. GRADE 8 THREADED HEX HEADED FRAME FASTENERS

15. FUEL TANKS

- a. RECTANGULAR FUEL TANK(S)
- b. PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS
- c. FUEL TANK(S) FORWARD
- d. PLAIN STEP FINISH
- e. FUEL TANK CAP(S)
- f. EQUIFLO INBOARD FUEL SYSTEM
- g. HIGH TEMPERATURE REINFORCED NYLON FUEL LINE

16. HUBS

- a. CONMET PRESET PLUS IRON FRONT HUBS
- b. CONMET PRESET PLUS IRON REAR HUBS

17. WHEELS

- a. FRONT WHEEL MOUNTING NUTS
- b. REAR WHEEL MOUNTING NUTS

18. CAB EXTERIOR

- a. 106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
- b. LH AND RH GRAB HANDLES
- c. PAINTED PLASTIC GRILLE
- d. ARGENT SILVER HOOD MOUNTED AIR INTAKE GRILLE
- e. FIBERGLASS HOOD
- f. SINGLE ELECTRIC HORN
- g. DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME
- h. REAR LICENSE PLATE MOUNT END OF FRAME
- i. INTEGRAL HEADLIGHT/MARKER ASSEMBLY
- j. (5) AMBER MARKER LIGHTS
- k. INTEGRAL STOP/TAIL/BACKUP LIGHTS
- l. STANDARD FRONT TURN SIGNAL LAMPS
- m. DUAL WEST COAST MOLDED-IN COLOR MIRRORS
- n. DOOR MOUNTED MIRRORS
- o. 102 INCH EQUIPMENT WIDTH
- p. STANDARD SIDE/REAR REFLECTORS
- q. 63X14 INCH TINTED REAR WINDOW
- r. TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS
- s. MANUAL DOOR WINDOW REGULATORS
- t. TINTED WINDSHIELD
- u. 2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED

19. CAB INTERIOR

- a. OPAL GRAY CLOTH INTERIOR
- b. MOLDED PLASTIC DOOR PANEL
- c. MOLDED PLASTIC DOOR PANEL
- d. BLACK MATS WITH SINGLE INSULATION
- e. FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING
- f. IN DASH STORAGE BIN
- g. (2) CUP HOLDERS LH AND RH DASH
- h. GRAY/CHARCOAL FLAT DASH
- i. HEATER, DEFROSTER AND AIR CONDITIONER
- j. STANDARD HVAC DUCTING
- k. MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH
- l. STANDARD HEATER PLUMBING
- m. DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR
- n. BINARY CONTROL, R-134A
- o. STANDARD INSULATION
- p. SOLID-STATE CIRCUIT PROTECTION AND FUSES
- q. 12V NEGATIVE GROUND ELECTRICAL SYSTEM
- r. DOME LIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS
- s. CAB DOOR LATCHES WITH MANUAL DOOR LOCKS
- t. LH AND RH INTEGRAL DOOR PANEL ARMRESTS
- u. VINYL WITH VINYL INSERT DRIVER SEAT
- v. VINYL WITH VINYL INSERT PASSENGER SEAT
- w. FIXED STEERING COLUMN
- x. 4-SPOKE 18 INCH (450MM) STEERING WHEEL
- y. DRIVER AND PASSENGER INTERIOR SUN VISORS

20. INSTRUMENTS AND CONTROLS

- a. GRAY DRIVER INSTRUMENT PANEL
- b. GRAY CENTER INSTRUMENT PANEL
- c. BLACK GAUGE BEZELS
- d. LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM
- e. 2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES
- f. INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS
- g. ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL

- h. KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION
OFF/RUN/START/ACCESSORY
- i. ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED
- j. HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH
- k. 2 INCH ELECTRIC FUEL GAUGE
- l. PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE
- m. ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
- n. TRANSMISSION OIL TEMPERATURE INDICATOR LIGHT
- o. ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY
- p. NO LANE DEPARTURE WARNING SYSTEM
- q. ELECTRIC ENGINE OIL PRESSURE GAUGE
- r. ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER
- s. STANDARD VEHICLE SPEED SENSOR
- t. ELECTRONIC 3000 RPM TACHOMETER
- u. IDLE LIMITER, ELECTRONIC ENGINE
- v. DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
- w. SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY
- x. MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH
- y. ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR
- a. SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE
- aa. INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS
- ab. NO MISCELLANEOUS GAUGES

21. DESIGN

- a. PAINT: ONE SOLID COLOR

22. COLOR

- a. CAB COLOR A: L0006EB WHITE ELITE BC
- b. BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
- c. NO FUEL TANK CABINET PAINT
- d. POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
- e. POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
- f. BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX
- g. STANDARD E COAT/UNDERCOATING

23. CERTIFICATION/COMPLIANCE

- a. U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS



NORTH CAROLINA SHERIFFS' ASSOCIATION

FREIGHTLINER - M2 106 - 33K GVW SPECIFICATION #8

2017 Freightliner M2 106 33K GVW Chassis

The Freightliner M2 106 33K GVW Chassis purchased through this contract comes with all the standard equipment as specified by the manufacturer for this model and NCSA's base vehicle specification(s) requirements which are included and made a part of this contract's vehicle base price as awarded by specification by zone.

ZONE:	★Appalachia	★Dogwood	★Cardinal	★Longleaf Pine
BASE PRICE:	\$73,810.00	\$73,810.00	\$73,810.00	\$73,810.00

While the North Carolina Sheriffs' Association has attempted to identify and include those equipment items most often requested by participating agencies for full size vehicles, we realize equipment needs and preferences are going to vary from agency to agency. In an effort to incorporate flexibility into our program, we have created specific add/delete options which allow the purchaser to tailor the vehicle to their particular wants or needs.

The following equipment delete and add options and their related cost are provided here to assist you in approximating the total cost of the type vehicle(s) you wish to order through this program. Simply deduct the cost of any of the following equipment items you wish deleted from the base unit cost and/or add the cost of any equipment items you wish added to the base unit cost to determine the approximate cost of the type vehicle(s) you wish to order.

NOTE: An official listing of all add/delete options and their prices should be obtained from the appropriate dealer in your zone when preparing your order. Additional add/delete options other than those listed here may be available through the dealers, however, those listed here must be honored by the dealers in your zone at the stated prices.

VEHICLE:	M2 106 33K GVW Chassis			
DEALER:	Carolina Freightliner of Raleigh	Excel Truck Center	Carolina Freightliner of Raleigh	Excel Truck Center
ZONE:	★Appalachia	★Dogwood	★Cardinal	★Longleaf Pine
BASE PRICE:	\$73,810.00	\$73,810.00	\$73,810.00	\$73,810.00

		Dogwood Appalachia & Longleaf & Cardinal Pine	
Order Code Delete Options			
	HANKOOK AL11 11R22.5 14 PLY RADIAL FRONT TIRES - WEIGHT FRONT: 8	Incl.	Incl.
	HANKOOK DL11 11R22.5 14 PLY RADIAL REAR TIRES - WEIGHT REAR:60	Incl.	Incl.

		Dogwood Appalachia & Longleaf & Cardinal Pine	
Order Code Add Options			
	REFUSE, SIDE LOAD OR REAR PACKER BODY - UNLOADS IN A LANDFILL	Incl.	Incl.
	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in	Incl.	Incl.
	75 MPH ROAD SPEED LIMIT	Incl.	Incl.
	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT	Incl.	Incl.
	PTO MODE ENGINE RPM LIMIT - 1100 RPM	Incl.	Incl.
	PTO RPM WITH CRUISE SET SWITCH - 700 RPM	Incl.	Incl.
	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM	Incl.	Incl.
	PTO MODE CANCEL VEHICLE SPEED - 5 MPH	Incl.	Incl.
	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND	Incl.	Incl.
	PTO MINIMUM RPM - 700	Incl.	Incl.
	REGEN INHIBIT SPEED THRESHOLD - 5 MPH	Incl.	Incl.
	NO 2008 CARB EMISSION CERTIFICATION	Incl.	Incl.
	(2) ALLIANCE MODEL 1231, GROUP 31, 12 VOLT MAINTENANCE FREE 2250 CCA THREADED STUD BATTERIES	Incl.	Incl.
	CUMMINS EXHAUST BRAKE INTEGRAL WITH VARIABLE GEOMETRY TURBO WITH ON/OFF DASH SWITCH - WEIGHT FRONT: 20	Incl.	Incl.
	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE - WEIGHT FRONT: 30	Incl.	Incl.
	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE - WEIGHT REAR: 25	Incl.	Incl.
	10 FOOT 06 INCH (126 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT	Incl.	Incl.
	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP	Incl.	Incl.
	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD(S)	Incl.	Incl.
	HORTON DRIVEMASTER ON/OFF FAN DRIVE	Incl.	Incl.
	COMBINATION FULL FLOW/BYPASS OIL FILTER	Incl.	Incl.
	1100 SQUARE INCH ALUMINUM RADIATOR - WEIGHT FRONT: 20	Incl.	Incl.
	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH	Incl.	Incl.

VEHICLE:	M2 106 33K GVW Chassis			
DEALER:	Carolina Freightliner of Raleigh	Excel Truck Center	Carolina Freightliner of Raleigh	Excel Truck Center
ZONE:	★Appalachia	★Dogwood	★Cardinal	★Longleaf Pine
BASE PRICE:	\$73,810.00	\$73,810.00	\$73,810.00	\$73,810.00

ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION - WEIGHT FRONT: 200	Incl.	Incl.
ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION - WEIGHT REAR: 60	Incl.	Incl.
ALLISON VOCATIONAL PACKAGE 142 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL RDS	Incl.	Incl.
ALLISON VOCATIONAL RATING FOR REFUSE APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES	Incl.	Incl.
PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY	Incl.	Incl.
SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY	Incl.	Incl.
VEHICLE INTERFACE WIRING CONNECTOR WITHOUT BLUNT CUTS, AT BACK OF CAB	Incl.	Incl.
ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED	Incl.	Incl.
PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED	Incl.	Incl.
TRANSMISSION PROGNOSTICS - ENABLED 2013	Incl.	Incl.
TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK	Incl.	Incl.
DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE	Incl.	Incl.
DETROIT DA-RS-23.0-4 23,000# R-SERIES SINGLE REAR AXLE - WEIGHT REAR: 30	Incl.	Incl.
BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)	Incl.	Incl.
REAR BRAKE DUST SHIELDS	Incl.	Incl.
23,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD - WEIGHT REAR: 120	Incl.	Incl.
SPRING SUSPENSION - NO AXLE SPACERS	Incl.	Incl.
FORE/AFT CONTROL RODS	Incl.	Incl.
BW AD-9 BRAKE LINE AIR DRYER WITH HEATER - WEIGHT FRONT: 20	Incl.	Incl.
AIR DRYER MOUNTED UNDER HOOD	Incl.	Incl.
CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD	Incl.	Incl.
5250MM (207 INCH) WHEELBASE 11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI 15080	Incl.	Incl.
11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI - WEIGHT FRONT: 150	Incl.	Incl.
11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI - WEIGHT REAR: 80	Incl.	Incl.
1525MM (60 INCH) REAR FRAME OVERHANG FRAME OVERHANG RANGE: 51 INCH TO 60 INCH 10-40	Incl.	Incl.

VEHICLE:	M2 106 33K GVW Chassis			
DEALER:	Carolina Freightliner of Raleigh	Excel Truck Center	Carolina Freightliner of Raleigh	Excel Truck Center
ZONE:	★Appalachia	★Dogwood	★Cardinal	★Longleaf Pine
BASE PRICE:	\$73,810.00	\$73,810.00	\$73,810.00	\$73,810.00

FRAME OVERHANG RANGE: 51 INCH TO 60 INCH - WEIGHT FRONT: 10	Incl.	Incl.
FRAME OVERHANG RANGE: 51 INCH TO 60 INCH - WEIGHT REAR: -40	Incl.	Incl.
CALCULATED FRAME SPACE LH SIDE : 132.09 in	Incl.	Incl.
CALCULATED FRAME SPACE RH SIDE : 150.51 in	Incl.	Incl.
FRONT TOW HOOKS - FRAME MOUNTED - WEIGHT FRONT: 15	Incl.	Incl.
50 GALLON/189 LITER SHORT RECTANGULAR ALUMINUM FUEL TANK - LH - WEIGHT FRONT: 20	Incl.	Incl.
ALLIANCE FUEL FILTER/WATER SEPARATOR	Incl.	Incl.
MAXION WHEELS 90262 22.5X8.25 10-HUB PILOT 6.19 INSET 5-HAND STEEL DISC FRONT WHEELS - WEIGHT FRONT: 18	Incl.	Incl.
MAXION WHEELS 90262 22.5X8.25 10-HUB PILOT 5-HAND STEEL DISC REAR WHEELS - WEIGHT REAR: 36	Incl.	Incl.
AIR CAB MOUNTS	Incl.	Incl.
NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE	Incl.	Incl.
TUNNEL/FIREWALL LINER	Incl.	Incl.
SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF MOUNTED - WEIGHT FRONT: 4	Incl.	Incl.
SINGLE HORN SHIELD	Incl.	Incl.
LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS	Incl.	Incl.
DASH MOUNTED ASH TRAY(S) WITHOUT LIGHTER	Incl.	Incl.
2-1/2 LB. FIRE EXTINGUISHER - WEIGHT FRONT: 5	Incl.	Incl.
(1) 12 VOLT POWER SUPPLY IN DASH	Incl.	Incl.
TRIANGULAR REFLECTORS WITHOUT FLARES - WEIGHT FRONT: 10	Incl.	Incl.
BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION - WEIGHT FRONT: 30	Incl.	Incl.
2 MAN TOOL BOX MID BACK NON SUSPENSION PASSENGER SEAT - WEIGHT FRONT: 20	Incl.	Incl.
INBOARD DRIVER SEAT ARMREST, NO PASSENGER SEAT ARMREST - WEIGHT FRONT: 2	Incl.	Incl.
3 POINT DRIVER AND PASSENGER AND 2 POINT CENTER FRONT SEAT BELT RETRACTORS	Incl.	Incl.
AM/FM RADIO WITH FRONT AND REAR AUXILIARY INPUTS AND J1939 - WEIGHT FRONT: 10	Incl.	Incl.
DASH MOUNTED RADIO	Incl.	Incl.
(2) RADIO SPEAKERS IN CAB	Incl.	Incl.
AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF	Incl.	Incl.
POWER AND GROUND STUDS IN/UNDER DASH	Incl.	Incl.
PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FLASH, WITH SMART SWITCH	Incl.	Incl.

VEHICLE:	M2 106 33K GVW Chassis			
DEALER:	Carolina Freightliner of Raleigh	Excel Truck Center	Carolina Freightliner of Raleigh	Excel Truck Center
ZONE:	★Appalachia	★Dogwood	★Cardinal	★Longleaf Pine
BASE PRICE:	\$73,810.00	\$73,810.00	\$73,810.00	\$73,810.00

	Incl.	Incl.
CORPORATE PDI CENTER IN-SERVICE ONLY		
Positive & negative post for jumpstart <i>call dealer for pricing</i> ¹ <i>call dealer for pricing</i> ²	NA ¹	NA ²
Battery shut off switch mounted outboard of drivers seat <i>call dealer for pricing</i> ¹ <i>call dealer for pricing</i> ²	NA ¹	NA ²
C-Brake by Jacobs Low/Off/High/ Engine Brake <i>call dealer for pricing</i> ¹ <i>call dealer for pricing</i> ²	NA ¹	NA ²
1000 watt / 115 volt Block Heater <i>call dealer for pricing</i> ¹ <i>call dealer for pricing</i> ²	NA ¹	NA ²
Driver controlled traction differential / single axle <i>call dealer for pricing</i> ¹ <i>call dealer for pricing</i> ²	NA ¹	NA ²
26,000# Flat leaf susp. With radius rod & helper spring <i>call dealer for pricing</i> ¹ <i>call dealer for pricing</i> ²	NA ¹	NA ²
30,000# Rear Axle RS-30-185 / requires heavier susp. <i>call dealer for pricing</i> ¹ <i>call dealer for pricing</i> ²	NA ¹	NA ²
30,000# Flat leaf susp. With radius rod & helper spring <i>call dealer for pricing</i> ¹ <i>call dealer for pricing</i> ²	NA ¹	NA ²
2 1/2" Front rubber fender extensions <i>call dealer for pricing</i> ¹ <i>call dealer for pricing</i> ²	NA ¹	NA ²
LED Marker Lights <i>call dealer for pricing</i> ¹ <i>call dealer for pricing</i> ²	NA ¹	NA ²
LED Stop Tail Lights <i>call dealer for pricing</i> ¹ <i>call dealer for pricing</i> ²	NA ¹	NA ²
Heated Mirrors with LH & RH Remote <i>call dealer for pricing</i> ¹ <i>call dealer for pricing</i> ²	NA ¹	NA ²
Powered Windows <i>call dealer for pricing</i> ¹ <i>call dealer for pricing</i> ²	NA ¹	NA ²
Adjustable Tilt/Tele Steering Column <i>call dealer for pricing</i> ¹ <i>call dealer for pricing</i> ²	NA ¹	NA ²

VEHICLE:	M2 106 33K GVW Chassis			
DEALER:	Carolina Freightliner of Raleigh	Excel Truck Center	Carolina Freightliner of Raleigh	Excel Truck Center
ZONE:	★Appalachia	★Dogwood	★Cardinal	★Longleaf Pine
BASE PRICE:	\$73,810.00	\$73,810.00	\$73,810.00	\$73,810.00

Brake Dash Valve with Auto Neutral...required with Work Brake <i>call dealer for pricing</i> ¹ <i>call dealer for pricing</i> ²	NA ¹	NA ²
Work Brake <i>call dealer for pricing</i> ¹ <i>call dealer for pricing</i> ²	NA ¹	NA ²
RH Stand-Up & RH Sit Down Options ARE NON-STANDARD <i>call dealer for pricing</i> ¹ <i>call dealer for pricing</i> ²	NA ¹	NA ²