



## NORTH CAROLINA SHERIFFS' ASSOCIATION

<b>Name of Dealership</b>	<b>Type of Vehicle</b>	<b>Zone</b>	<b>Base Unit Price</b>
<a href="#"><u>CHEVROLET EXPRESS 3500 CUT-AWAY WORK VAN SRW (CG33503) (Specification #258)</u></a>			
Capital Chevrolet Inc.	2020 Chevrolet Express 3500 Cut-Away	★Appalachia	\$20,835.00
Capital Chevrolet Inc.	2020 Chevrolet Express 3500 Cut-Away	★Dogwood	\$20,710.00
Capital Chevrolet Inc.	2020 Chevrolet Express 3500 Cut-Away	★Cardinal	\$20,710.00
Capital Chevrolet Inc.	2020 Chevrolet Express 3500 Cut-Away	★Longleaf Pine	\$20,710.00



## **NORTH CAROLINA SHERIFFS' ASSOCIATION**

### **CHEVROLET EXPRESS 3500 CUT-AWAY WORK VAN SRW (CG33503)** **SPECIFICATION #258**

2020 Chevrolet Express 3500 Cut-Away

**ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED**

**INSTRUCTIONS:** Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

#### **1. MECHANICAL**

- a. Tow/haul mode selector, instrument panel-mounted
- b. Alternator, 150 amps
- c. Transmission oil cooler, external
- d. Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode and internal transmission oil cooler - Reference the Engine/Axle page availability.
- e. Suspension, rear hypoid drive axle with multi-leaf springs
- f. Suspension, front independent with coil springs and stabilizer bar
- g. Steering, power
- h. Rear axle, 3.42 ratio - Requires (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI engine and (C4M) 9900 lbs. (4490 kg) GVWR or (JFF) 10,100 lbs. (4581 kg) GVWR.
- i. GVWR, 12,300 lbs - Includes (R04) single rear wheel configuration. Not available with (R05) dual rear wheel combination. Reference the Engine/Axle page for availability.
- j. Exhaust, aluminized stainless-steel muffler and tailpipe
- k. Engine, Vortec 6.0L V8
- l. Brake/transmission shift interlock, for automatic transmissions
- m. Brakes, 4-wheel antilock, 4-wheel disc
- n. Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power

#### **2. SAFETY**

- a. StabiliTrak, traction assistance and vehicle stability enhancement system 1 - Standard with (R04) single rear wheel configuration. Not available with (R05) dual rear wheel configuration. 2 - Required with (R04) single rear wheel configuration.
- b. Oil life monitor
- c. Warning tones, headlamp on and key-in-ignition
- d. Tire Pressure Monitoring System (does not monitor spare tires) - Required with (C4M) 9900 lbs. (4490 kg) GVWR and (R04) single rear 4 - 16" x 6.5" (40.6 cm x 16.5 cm) wheels.
- e. Theft-deterrent system, vehicle, PASS-Key III
- f. Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- g. Driver Information Center, includes fuel range, average speed, oil life, fuel used, ice warning, engine hours, average fuel economy, tachometer and maintenance reminders
- h. Air bag deactivation switch, frontal, passenger-side - Always use safety belts and the correct child restraints. NOTE: Passenger seat is removed when ordered. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.
- i. Air bags, driver and right-front passenger, seat-mounted side-impact and head curtain side-impact - Not available with GVW's 10,000 lbs or greater, (YF1) RV Package, (B3D) School Bus Package or (9T7) passenger side door delete, Upfitter option. Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.
- j. Air bags, frontal, driver and right-front passenger - Included with (ZX2) driver and front passenger high-back bucket seats. Not available with (ZX1) driver only high-back bucket seat. Always use safety belts and child restraints.

Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.

### 3. COMFORT AND CONVENIENCE

- a. Heater and defogger with front and side window defoggers
- b. Assist handles, driver and right-front passenger
- c. Air conditioning, single-zone manual - Not available with (R6G) air conditioning delete.

### 4. INTERIOR

- a. Cup holders, 3 on the engine console cover
- b. Floor covering, Black rubberized-vinyl front
- c. Headliner, cloth, over driver and passenger
- d. Lighting, interior with dome light and door handle-activated switches
- e. Power outlet, 120-volt
- f. Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- g. Seats, front bucket with vinyl trim and head restraints, includes inboard armrests - Requires (\*\*W) trim. Not available with SEO (ZP0) delete driver and passenger seats. Includes only driver high-back bucket seat with vinyl trim when ordered with (ZX1) driver-only high-back bucket seating arrangement.
- h. Seating arrangement, driver and front passenger high-back bucket, includes head restraints and vinyl or cloth trim - Not available with (AJ3) driver-side only frontal air bag.
- i. Visors, driver and front passenger, cloth, padded

### 5. EXTERIOR

- a. Body, standard
- b. Bumper, front painted Black with step-pad- Deleted when (ZR7) Chrome Appearance Package is ordered.
- c. Daytime Running Lamps
- d. Flasher, heavy duty, light emitting diode (LED)
- e. Glass, Solar-Ray light-tinted, all windows
- f. Grille, Black composite with single rectangular halogen headlamps - Not available with (ZR7) Chrome Appearance Package.
- g. License plate kit, front
- h. Mirrors, outside delete - Not available with (5Q7) Upfitter option Blank Sail Panel Delete when ordered with (YF2) Ambulance Package.
- i. Paint, solid
- j. Wipers, front intermittent wet-arm with pulse washers

### 6. TIRES AND WHEELS

- a. Tires, front LT245/75R16E all-season, blackwall - Available with (C4M) 9900 lbs. (4490 kg.) GVWR or (JFF) 10,100 lbs. (4581 kg.) GVWR and (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included.
- b. Tires, rear LT245/75R16E all-season, blackwall - Available with (C4M) 9900 lbs. (4490 kg.) GVWR or (JFF) 10,100 lbs. (4581 kg.) GVWR and (R04) single rear wheel configuration. Jack and spare tire equipment bracket are not included.
- c. Wheel configuration, rear, single - Not available with (9N2) 10,050 lbs. (4559 kg.) or (C7N) 12,300 lbs. (5579 kg.) GVWR.
- d. Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm), 8-lug painted steel, heavy-duty - Only available with (R04) single rear wheel configuration.

### 7. AUDIO

- a. Audio system, AM/FM stereo with MP3 player, seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers - Not available with (YF1) RV Package.

### 8. ADDITIONAL

- a. Frame, ladder-type
- b. Fuel tank capacity, mid-frame and approximately 33 gallons (124.9L)
- c. Incomplete vehicle certification

### 9. WARRANTY

- a. Powertrain: 5 years/ 100,000 miles





## **NORTH CAROLINA SHERIFFS' ASSOCIATION**

### **CHEVROLET EXPRESS 3500 CUT-AWAY WORK VAN SRW (CG33503) SPECIFICATION #258**

#### **2020 Chevrolet Express 3500 Cut-Away**

The Chevrolet Express 3500 Cut-Away purchased through this contract comes with all the standard equipment as specified by the manufacturer for this model and NCSA's base vehicle specification(s) requirements which are included and made a part of this contract's vehicle base price as awarded by specification by zone.

ZONE:	★Appalachia	★Dogwood	★Cardinal	★Longleaf Pine
BASE PRICE:	\$20,835.00	\$20,710.00	\$20,710.00	\$20,710.00
DELIVERY TIME:	60 - 120 days	60 - 120 days	60 - 120 days	60 - 120 days

Please note: Delivery time may extend past the delivery time listed above as a result of delays from the manufacturer.

While the North Carolina Sheriffs' Association has attempted to identify and include those equipment items most often requested by participating agencies for full size vehicles, we realize equipment needs and preferences are going to vary from agency to agency. In an effort to incorporate flexibility into our program, we have created specific add/delete options which allow the purchaser to tailor the vehicle to their particular wants or needs.

The following equipment delete and add options and their related cost are provided here to assist you in approximating the total cost of the type vehicle(s) you wish to order through this program. Simply deduct the cost of any of the following equipment items you wish deleted from the base unit cost and/or add the cost of any equipment items you wish added to the base unit cost to determine the approximate cost of the type vehicle(s) you wish to order.

NOTE: An official listing of all add/delete options and their prices should be obtained from the appropriate dealer in your zone when preparing your order. Additional add/delete options other than those listed here may be available through the dealers, however, those listed here must be honored by the dealers in your zone at the stated prices.

<b>VEHICLE:</b>	Express 3500 Cut-Away			
<b>DEALER:</b>	Capital Chevrolet Inc.	Capital Chevrolet Inc.	Capital Chevrolet Inc.	Capital Chevrolet Inc.
<b>ZONE:</b>	★Appalachia	★Dogwood	★Cardinal	★Longleaf Pine
<b>BASE PRICE:</b>	\$20,835.00	\$20,710.00	\$20,710.00	\$20,710.00

Order Code	Add Options	All Zones
	Tires, front LT225/75R16E all-season, blackwall 1 - Requires (9N2) 10,050 lbs. (4559 kg) GVWR or (C7N) 12,300 lbs. (5579 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. 2 - Requires (C7N) 12,300 lbs. (5579 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. 3 - Requires (C7I) 14,200 lbs. (6441 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included.	NA
	Tires, rear LT225/75R16E all-season, blackwall 1 - Requires (9N2) 10,050 lbs. (4559 kg) GVWR or (C7N) 12,300 lbs. (5579 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. 2 - Requires (C7N) 12,300 lbs. (5579 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included. 3 - Requires (C7I) 14,200 lbs. (6441 kg) GVWR and (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included.	NA
	Wheel configuration, rear, dual - Not available with (C4M) 9900 lbs. (4490 kg) GVWR, (JFF) 10,100 lbs. (4581 kg) GVWR or (JL4) StabiliTrak.	NA
	Wheels, 6 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, heavy duty - Only available with (R05) dual rear wheel configuration.	NA
R9Y <sup>1</sup>	Fleet Free Maintenance Credit. This option code provides a credit in lieu of the free oil changes, tire rotations and inspections (2 maximum), during the first 24 months and 24,000 miles period for this ordered vehicle. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle.; 1 - Requires one of the following Fleet or Government order types: FBC, FBN, FCA, FCN, FLS, FNR, FRC or FGO. Not available	\$29.70 <sup>1</sup>
	DRW	NA
	Optional Equipment - specify	NA
	Optional Equipment - specify	NA
	Optional Equipment - specify	NA
	Optional Equipment - specify	NA
	Optional Equipment - specify	NA